L Number	Hits	Search Text	DB	Time stamp
-	3480	***************************************	USPAT;	2004/10/18 10:49
			US-PGPUB	
-	2569	709/238 and (host\$1 or server\$1)	USPAT;	2004/10/18 10:50
	25.60	(700/230 and (heated) an assessed to the	US-PGPUB	2004/10/18 10:52
-	2560	(709/238 and (host\$1 or server\$1) ) and ((router or router\$1) and deliver or	USPAT; US-PGPUB	2004/10/18 10:52
		transmit or transfer near\$3 message\$1 or	US-FGFUB	
		signal\$1 or data)		
-	1380	(709/238 and (host\$1 or server\$1) ) and	USPAT;	2004/10/18 10:52
1		(router or router\$1)	US-PGPUB	
-	841	((709/238 and (host\$1 or server\$1) ) and	USPAT;	2004/10/18 10:55
		(router or router\$1) ) and (processor\$1 or	US-PGPUB	
ŀ		multi-processors) and (control near\$3 processor\$1)		
_	492		USPAT;	2004/10/18 10:55
	'52	(router or router\$1) ) and (processor\$1 or	US-PGPUB	2001, 20, 20 20.00
		multi-processors) and (control near\$3		
		processor\$1)) and (code\$1 or flag\$1) and		
		@ad<20010525		0001/10/10 15 5=
-	491	((((709/238  and  (host\$1  or server\$1)))  and	USPAT;	2004/10/18 13:37
		(router or router\$1) ) and (processor\$1 or multi-processors) and (control near\$3	US-PGPUB	
		processor\$1)) and (code\$1 or flag\$1) and		
		@ad<20010525) and (host near\$5 command\$1		
		or message\$1 or data)		
-	103	(709/238) and (host\$1 or server\$1) and	USPAT;	2004/10/18 13:38
		(router or router\$1) and (multiplexer)	US-PGPUB	2004/10/10 12 22
-	79	((709/238) and (host\$1 or server\$1) and (router or router\$1) and (multiplexer))	USPAT; US-PGPUB	2004/10/18 13:39
		and @ad<20010525	US-FGFUB	
_	1708	(709/238) and (router\$1 or router) and	USPAT;	2004/10/20 15:31
		((data near\$1 path) near\$3 size or	US-PGPUB	
		dimension)		
-	1679	((709/238) and (router\$1 or router) and	USPAT;	2004/10/20 15:37
		((data near\$1 path) near\$3 size or dimension) ) and ((width near\$3 field or	US-PGPUB	
		dimension) ) and ((width hear\$3 field or   field\$1) or (size\$1 near\$3 address\$3) and		
		Pad<20010525)	1	
-	854	((709/238) and (router\$1 or router) and	USPAT;	2004/10/20 16:21
		((data near\$1 path) near\$3 size or	US-PGPUB	
		dimension) ) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and @ad<20010525) and (switch)		
_	841	(((709/238) and (router\$1 or router) and	USPAT;	2004/10/20 15:38
		((data near\$1 path) near\$3 size or	US-PGPUB	
		dimension) ) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
		<pre>@ad&lt;20010525) and (switch) ) and (memory near\$2 field near\$2 width)</pre>		
_	841	near\$2 field near\$2 width)   (((709/238) and (router\$1 or router) and	USPAT;	2004/10/20 15:38
	041	((data near\$1 path) near\$3 size or	US-PGPUB	1
		dimension) ) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20010525) and (switch) ) and (memory		
	014	near\$2 field) (((709/238) and (router\$1 or router) and	USPAT;	2004/10/20 15:39
-	844	(((/09/238) and (router;) or router; and ((data near;) path) near;3 size or	US-PGPUB	2004/10/20 13:39
		dimension) ) and ((width near\$3 field or	55 15105	
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20010525) and (switch) ) and (memory		
		near\$2 field or size)	HODAM:	2004/10/20 15 22
-	689	((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or	USPAT; US-PGPUB	2004/10/20 15:39
		((data hears) path) hears size of   dimension) ) and ((width hear\$3 field or	00-10100	
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20010525) and (switch) ) and (memory		
		near\$2 field or size)) and (width near\$2		
	<u> </u>	configuration\$1)	L	<u></u>

-	415	((((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or dimension)) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and @ad<20010525) and (switch)) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)	USPAT; US-PGPUB	2004/10/20 15:43
-	310	(((((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or dimension) ) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and @ad<20010525) and (switch) ) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and	USPAT; US-PGPUB	2004/10/21 09:46
_	670	(processor\$1 or processor) ((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or dimension) ) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3)) and @ad<20010525 and (switch)	USPAT; US-PGPUB	2004/10/20 16:22
	311	((((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or dimension) ) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and @ad<20012505) and (switch) ) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and (processor\$1 or processor)	USPAT; US-PGPUB	2004/10/21 14:24
-	56258	((709/238) and (router\$1 or router) and (data path near\$3 width or size or dimension) and (width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and (@ad<20012505) and (switch) and (memory near\$2 field or size) and (width near\$2 configuration\$1) and (debug or error or error\$1 or error near\$1 correction) and (processor\$1 or processor))	USPAT; US-PGPUB	2004/10/21 09:45
-	310	(((((((709/238) and (router\$1 or router) and ((data path) near\$3 size or dimension)) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and (@ad<20010525) and (switch)) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and (processor\$1 or processor)	USPAT; US-PGPUB	2004/10/21 14:18
-	241	((((((709/238) and (router\$1 or router) and ((data WITH path WITH size or dimension) near\$3 size or dimension) ) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and (ad<20010525) and (switch) ) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and	USPAT; US-PGPUB	2004/10/21 09:55
-	37	(processor\$1 or processor) (((((((709/238) and (router\$1 or router) and ((data WITH path WITH size or dimension) ) ) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and @ad<20010525) and (switch) ) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and (processor\$1 or processor)	USPAT; US-PGPUB	2004/10/21 10:21

-	37	(((((((709/238) and (router\$1 or router)	USPAT;	2004/10/21 13:50
		and ((data WITH path WITH size or dimension) ) ) and ((width near\$3 field or	US-PGPUB	
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20012505) and (switch) ) and (memory		
		near\$2 field or size)) and (width near\$2		
		configuration\$1)) and (debug or error or		
		error\$1 or error near\$1 correction)) and		
_	4	<pre>(processor\$1 or processor) ((((((711/171) and (router\$1 or router)</pre>	USPAT;	2004/10/21 13:53
	•	and ((data WITH path WITH size or	US-PGPUB	2001,10,21 20.00
		dimension) ) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20012505) and (switch) and (memory		
		near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or		
		error\$1 or error near\$1 correction)) and		
		(processor\$1 or processor)		
-	975	711/171	USPAT;	2004/10/21 13:53
		711 /171 1 0 - 1 (00010505	US-PGPUB	2004/10/21 12.55
-	909	711/171 and @ad<20012505	USPAT; US-PGPUB	2004/10/21 13:55
_	849	(711/171 and @ad<20012505 ) and (command\$1	USPAT;	2004/10/21 14:02
		or command WITH word size or word length)	US-PGPUB	
-	657	((711/171 and @ad<20012505 ) and	USPAT;	2004/10/21 14:00
		(command\$1 or command WITH word size or	US-PGPUB	
_	833	word length)) and (width near\$2 processor) ((711/171 and @ad<20012505) and	USPAT;	2004/10/21 14:00
	035	(command\$1 or command WITH word size or	US-PGPUB	2004/10/21 14:00
		word length)) and (data path same size or		
	-	width) and (processor near\$2 size or width	·	
	0.4.4	or length)	HCDAM.	2004/10/21 14:01
-	844	((711/171 and @ad<20012505 ) and (command\$1 or command WITH word size or	USPAT; US-PGPUB	2004/10/21 14:01
		word length)) and (data path same size or	05 10105	
,		width)		
-	654	((711/171 and @ad<20012505 ) and	USPAT;	2004/10/21 14:01
2		(command\$1 or command WITH word size or	US-PGPUB	
		word length)) and (data same size or   width)		
-	862	(711/171 and @ad<20012505 ) and (command\$1	USPAT;	2004/10/21 14:02
		or command or message or message\$1 WITH	US-PGPUB	
		word size or word length)		
-	310	((((((709/238) and (router\$1 or router)	USPAT; US-PGPUB	2004/10/25 11:06
		and ((data path) near\$3 size or dimension) ) and ((width near\$3 field or field\$1) or	US-PGPUB	
	,	(size\$1 near\$3 address\$3) and		
		@ad<20010525) and (switch) ) and (memory		
		near\$2 field or size)) and (width near\$2		
		configuration\$1)) and (debug or error or error\$1 or error near\$1 correction))and		-
		(processor\$1 or processor)		
-	311	((((((709/238) and (router\$1 or router)	USPAT;	2004/10/21 14:20
		and ((data path) near\$3 size or dimension)	US-PGPUB	
_		) and ((width near\$3 field or field\$1) or		
		(size\$1 near\$3 address\$3) and @ad<20012505 ) and (switch) ) and (memory near\$2 field		
		or size)) and (width near\$2		
_		configuration\$1)) and (debug or error or		
		error\$1 or error near\$1 correction))and		
	510	(processor\$1 or processor)	HCDAM.	2004/10/21 14-00
-	518	((((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or	USPAT; US-PGPUB	2004/10/21 14:28
		dimension) ) and ((width near\$3 field or	OD LGEOD	
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20012505 and (switch) ) and (memory		
		near\$2 field or size)) and (width near\$2		1
		configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and		
		(processor\$1 or processor)		
<del></del>			·	<del></del>

_	518		USPAT;	2004/10/21 14:28
		((data near\$1 path) near\$3 size or	US-PGPUB	
		dimension) ) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
		(switch) ) and (memory near\$2 field or		
		size)) and (width near\$2 configuration\$1))		
		and (debug or error or error\$1 or error		
		near\$1 correction)) and (processor\$1 or		
		processor)		
-	392	((((((709/238) and (router\$1 or router)	USPAT;	2004/10/22 14:30
		and ((data near\$1 path) near\$3 size or	US-PGPUB	
		dimension) ) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
		(switch) ) and (memory near\$2 field or		
		size)) and (width near\$2 configuration\$1))		
		and (debug or error or error\$1 or error		
		near\$1 correction)) and (processor\$1 or		
		processor)) and @ad<20010525		
	14	"6385647"	USPAT;	2004/10/22 14:30
			US-PGPUB	
-	0	"6385647.pn"	USPAT;	2004/10/22 14:30
		-	US-PGPUB	
-	1	1 ,	USPAT	2004/10/22 15:02
-	1	1 , , ,	USPAT	2004/10/22 15:14
-	1	("6085303").PN.	USPAT	2004/10/22 15:14
-	311		USPAT;	2004/10/25 11:07
		and ((data path) near\$3 size or dimension)	US-PGPUB	
		) and ((width near\$3 field or field\$1) or		
		(size\$1 near\$3 address\$3) and		
1		@ad<20012505) and (switch) ) and (memory		
		near\$2 field or size)) and (width near\$2	'	
		configuration\$1)) and (debug or error or		
		error\$1 or error near\$1 correction))and		
		(processor\$1 or processor)		
-	138	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/10/25 11:07
		and ((data path) near\$3 size or dimension)	US-PGPUB	
		) and ((width near\$3 field or field\$1) or		
		(size\$1 near\$3 address\$3) and		
		@ad<20012505) and (switch) ) and (memory		
		near\$2 field or size)) and (width near\$2		
		configuration\$1)) and (debug or error or		,
1		error\$1 or error near\$1 correction))and		
		(processor\$1 or processor)) and		
		(synchronize or synchroni\$5 or		
	1	synchronization)		